

STORAGE AND DISPOSAL:
Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep product dry and store in a cool dry well-ventilated area away from heat or open flame. Store in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. May be irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, chemical resistant gloves and protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PHYSICAL OR CHEMICAL HAZARDS: Do not mix with other chemicals. Mix only with water.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions. This product must be loaded and transferred only using a metering-pump system. Openpumping is prohibited.

This product must be loaded and transferred only using a metering-pump system or a closed loading/application system. Open pouring is prohibited. Wear coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, chemical resistant gloves and protective eyewear.

RECIRCULATING COOLING AND PROCESS WATER SYSTEMS / AIR WASHERS AND INDUSTRIAL AIR SCRUBBING SYSTEMS:

DOSAGE RATES FOR ABOVE APPLICATIONS.

Initial Dose: When the system is noticeably fouled, add 26 to 77 fluid ounces of Bellacide 355 per 1000 gallons (200 to 600 milliliters/1000 liters) of water contained in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 13 to 38 fluid ounces of Bellacide 355 per 1000 gallons (100 to 300 milliliters/1000 liters) of water contained in the system. Repeat as needed to maintain control.

Heavily fouled systems must be cleaned before treatment is begun.

When used as directed, this product effectively controls algal, bacterial, and fungal slimes in commercial and industrial cooling towers, evaporative condensers, heat exchange water systems, evaporative coolers, dairy sweetwater systems, industrial process water systems, brewery pasteurizers, can warmers, hydrostatic sterilizers and retorts, air washing systems equipped with a mist eliminator, and industrial air scrubbing systems. Add Bellacide 355 at a point of uniform mixing such as the basin area.

BELLACIDE 355

For use as an algicide, bactericide, fungicide, for the control algae, slime forming bacteria, sulfate reducing bacteria, and fungi in air-washers and industrial air scrubbing systems, recirculating cooling water and process water systems including cooling towers, evaporative coolers, brewery pasteurizers, can warmers, and hydrostatic sterilizers and retorts, non-food contact paper and paperboard process water (e.g.: brown paper, corrugated sheet, Kraft paper, newsprint, etc.), enhanced oil recovery systems, oil and gas production and transmission pipelines and systems, gas storage wells and systems, hydrotesting of pipelines and tanks, pipeline pigging and scrapping operations and oil and gas well drilling and maintenance fluids. FOR INDUSTRIAL APPLICATION. This product must be loaded and transferred only using a metering-pump system. Open pouring is prohibited.

ACTIVE INGREDIENT:	
Tributyl Tetradecyl Phosphonium Chloride	5.0%
OTHER INGREDIENTS:	
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. IN CASE OF MEDICAL EMERGENCY, CALL 1-303-623-5716 OR 1-877-800-5553

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Manufactured for:
BWA Water Additives US LLC
1979 Lakeside Parkway, Suite 925
Tucker, GA 30084
800-600-4523

EPA REG. NO. 83451-16

EPA EST. # 56567-IL-01

100736

102307

DIRECTIONS FOR USE CONTINUED:

PULP, PAPER, AND PAPERBOARD MILLS:

DOSAGE RATES.

Initial Dose: When the system is noticeably fouled, add 5 to 30 pounds of Bellacide 355 per ton of pulp or paper (dry basis) as a slug dose. Repeat until control is achieved. Heavily fouled systems must be cleaned before initial treatment.

Subsequent Dose: When biological control is evident, add 3 to 20 pounds of Bellacide 355 per ton of pulp or paper (dry basis) as a slug dose as necessary to maintain control.

THIS PRODUCT IS ONLY FOR USE IN NON-FOOD APPLICATION, such as Brown Paper Mills, Sheet for Corrugated Board, Kraft Paper, Newsprint and similar paper / paperboard not intended for food contact uses. When used as directed this product effectively controls bacterial and fungal slimes in pulp, paper, and paperboard mill process water systems including white water systems. Treat water at critical areas in the system where mixing of the product will be uniform such as beaters, furnish chest, white-water tank, save-all, and broke chest. The frequency and duration of the treatment will depend upon the severity of the problem.

ENHANCED OIL RECOVERY SYSTEMS:

DOSAGE RATES FOR ENHANCED OIL RECOVERY SYSTEMS.

When the system is noticeably fouled, or to maintain control in the system, add 42 to 420 gallons of Bellacide 355 per 1000 barrels of water as a slug dose for 1-8 hours per day, 1-4 times per week.

NOT FOR USE IN ESTUARINE OR MARINE OIL RECOVERY SYSTEMS. When used as directed this product effectively controls slime-forming and sulfate-reducing bacteria in injection and produced water systems, water disposal systems, and other oilfield water systems. Treat water at critical points in the system such as water or oil storage tanks, surge tanks, oil-water separators, before or after injection pumps, and injection well headers.

OIL AND GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS:

Bellacide 355 should be added at a point in the pipeline where uniform mixing will occur. The application should be conducted to ensure maximum distribution of Bellacide 355 through the entire internal surface of the pipeline. Follow dosing instructions for enhanced oil recovery systems.

GAS STORAGE WELLS AND SYSTEMS:

Individual injection wells should be treated with a sufficient quantity of Bellacide 350 to produce a concentration of 1000-10000 ppm Bellacide 355 when diluted by the water present in the formation. Injections should be repeated as needed to maintain control.

Individual drips should be treated with a sufficient quantity of Bellacide 355 to produce a concentration of 1000-10000 ppm Bellacide 355 when diluted by the water present in the drips. Injections should be repeated as needed to maintain control.

HYDROTESTING:

Water used to hydrotest pipelines or vessels should contain 1000-10000 ppm. Bellacide 355, depending on water quality and length of time the equipment will remain idle.

PIPELINE PIGGING AND SCRAPPING OPERATIONS:

Add Bellacide 355 to a slug of water immediately following the scraper (ideally this water volume can be kept to a minimum and contained between the scrapper and a trailing pig). Sufficient Bellacide 355 should be added to produce a concentration of 1000-10000 ppm Bellacide 355 in the water at the discharge point or pig trap depending on the length of the pipeline and the severity of biofouling.

DRILLING, PACKER, COMPLETION, WORKOVER AND FRACTURING FLUIDS:

Bellacide 355 should be added to these fluids at a point where uniform mixing will occur. Add 1000-10000 ppm of Bellacide 355 to a freshly prepared fluid depending on the severity of the contamination.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.



CORROSIVE LIQUID, N.O.S.
(Contains tributyltetradecylphosphonium chloride);
Class 8, UN 1760



SAFETY DATA SHEET BELLACIDE 355

1. IDENTIFICATION

Product Name	BELLACIDE 355
Chemical Name	Aqueous solution of tributyl tetradecyl phosphonium chloride.
Product No.	100736, 100737, 100833
Identification No.	2922
Identified uses	Industrial Water Treatment
Supplier	BWA Water Additives US LLC 1979 Lakeside Parkway Suite 925, Tucker, GA30084 USA T: +1 800 600 4523 T: +1 678 802 3050 E: msds@wateradditives.com
Emergency Telephone	Chemtrec Phone: 1-800-424-9300

2. HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW

EPA SIGNAL WORD: DANGER. EPA REGISTRATION No. 83451-16 EPA FIFRA Labelling information in Section 15 (PRN 2012-1)

Appearance	Liquid
Color	Colourless.
Odor	Slight odor.
GHS Pictogram	



Signal Word Danger

Hazard Statements

H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.
P301+330+331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.

Contains

TRIBUTYLTETRADECYL PHOSPHONIUM CHLORIDE

GHS Classification

Physical and Chemical Hazards	Not classified.
Human health	Acute Tox. 2 - H330;Skin Corr. 1B - H314
Environment	Aquatic Chronic 2 - H411

BELLACIDE 355**WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM - WHMIS****WHMIS Label**

Materials Causing Immediate Corrosive Material.
and Serious Toxic Effect.

Controlled Product Classification

Canadian WHMIS Classification D1A E

Inhalation

Toxic by inhalation. LC50 0.9 mg/L. Administered as a liquid aerosol for a single 4h nose only exposure to rats.

Ingestion

Causes burns. May cause stomach pain or vomiting.

Skin Contact

Causes burns. Not a skin sensitizer.

Eye Contact

Causes burns.

Health Warnings

This substance is corrosive.

Route Of Entry

Skin and/or eye contact. Ingestion. Inhalation.

Target Organs

Eyes Skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

TRIBUTYLTETRADECYL PHOSPHONIUM CHLORIDE

5%

CAS No.: 81741-28-8

EC No.: 279-808-2

GHS Classification

Acute Tox. 4 - H302; Acute Tox. 2 - H330; Skin Corr. 1B - H314; Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410

Composition Comments

Aqueous solution of tributyltetradecylphosphonium chloride.

4. FIRST-AID MEASURES**Description of first aid measures****Inhalation**

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. For breathing difficulties oxygen may be necessary. Get medical attention if any discomfort continues.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Skin Contact

Remove victim immediately from source of exposure. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water for several minutes. Get medical attention if any discomfort continues.

Eye Contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed**Inhalation**

Severe irritation in nose and throat. Congestion of the lungs may occur producing severe shortness of breath.

Ingestion

May cause chemical burns in mouth and throat. May cause stomach pain or vomiting.

BELLACIDE 355

Skin Contact

Chemical burns.

Eye Contact

May cause blurred vision and serious eye damage.

Indication of any immediate medical attention and special treatment needed

Notes To The Physician

Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Auto Ignition Temperature (°C)

Not available.

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Flash point (°C)

Not available.

Extinguishing Media

This product is not flammable. Use: Carbon dioxide (CO₂). Foam. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific Hazards

Fire creates: Toxic gases/vapors/fumes of: Carbon monoxide (CO). Carbon dioxide (CO₂). Oxides of: Phosphorus. Chlorine.

Special Fire Fighting Procedures

Move container from fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Keep run-off water out of sewers and water sources. Dike for water control.

Protective Equipment For Fire-Fighters

Leave danger zone immediately. Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Follow precautions for safe handling described in this material safety data sheet. For personal protection, see section 8.

Environmental Precautions

Avoid release to the environment. To prevent release, place container with damaged side up.

Spill Clean Up Methods

Should be prevented from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Collect and reclaim or dispose in sealed containers in licensed waste. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

Reference to other sections

For waste disposal, see section 13.

7. HANDLING AND STORAGE

Handling

Avoid spilling, skin and eye contact. Avoid inhalation of vapors and spray mists. Observe good chemical hygiene practices.

Storage

Store in tightly closed original container in a dry, cool and well-ventilated place. Store at temperature below 50°C. Do not store for extended periods below freezing point or in direct sunlight. IF FROZEN: once fully thawed, agitate container vigorously to ensure the product is homogeneous. Store separated from: Alkalis. Reducing Agents. Keep separate from food, feedstuffs, fertilizers and other sensitive material.

Storage Class

Corrosive storage.

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

BELLACIDE 355

Ingredient Comments

No exposure limits noted for ingredient(s).

Protective Equipment



Process Conditions

Provide eyewash station.

Engineering Measures

Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors.

Provide adequate ventilation.

Respiratory Equipment

In case of inadequate ventilation use suitable respirator.

If exposure to spray, mist or vapours is possible wear respirator face mask with appropriate cartridge.

A respiratory protection programme that meets OSHA 1910.134 and ANZI Z88.2 requirements must be followed whenever work place conditions warrant a respirator's use.

Hand Protection

Use protective gloves made of: Selection of a suitable glove depends on work conditions and whether the product is present on its own or in combination with other substances. Neoprene, nitrile, polyethylene or PVC. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Eye Protection

Wear protective eye wear (goggles or face mask). Use face shield in case of splash risk.

Hygiene Measures

Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

Skin Protection

When handling the product to prevent skin contact by splashing, wear a rubber apron.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Liquid
Color	Colourless.
Odor	Slight odor.
Initial boiling point and boiling range (°C)	100 @ 760 mm Hg
Melting point (°C)	Not available.
Relative density	0.96 - 1.00 20°C
Vapor density (air=1)	Not available.
Vapor pressure	Not available.
Evaporation rate	Not available.
Evaporation Factor	Not available.
pH-Value, Conc. Solution	6 - 8
Decomposition temperature (°C)	>300
Odour Threshold, Lower	Not available.
Odour Threshold, Upper	Not available.
Flash point (°C)	Not available.
Auto Ignition Temperature (°C)	Not available.

BELLACIDE 355

Flammability Limit - Lower(%)

Not applicable.

Flammability Limit - Upper(%)

Not applicable.

Partition Coefficient**(N-Octanol/Water)**

Not available.

Explosive properties

Scientifically unjustified.

Oxidising properties

Does not meet the criteria for oxidising.

Not available.

10. STABILITY AND REACTIVITY

Reactivity

No specific reactivity hazards associated with this product.

Stability

Stable under normal temperature conditions and recommended use.

Hazardous Polymerisation

Will not polymerise.

Conditions To Avoid

Avoid excessive heat for prolonged periods of time.

Materials To Avoid

Strong alkalis. Strong reducing agents.

Hazardous Decomposition ProductsFire creates: Toxic gases/vapors/fumes of: Carbon monoxide (CO). Carbon dioxide (CO₂). Oxides of: Phosphorus. Chlorine.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:**Acute Toxicity (Oral LD50)**

> 4000 mg/kg Rat

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat

Acute Toxicity (Inhalation LC50)

0.9 mg/l (vapours) Rat 4 hours

Germ cell mutagenicity:**Genotoxicity - In Vitro**

Ames Test

Negative.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product contains a substance which is toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.

Acute Toxicity - Fish

Not available.

Acute Toxicity - Aquatic Invertebrates

Not available.

Acute Toxicity - Aquatic Plants

Not available.

Degradability

The product is biodegradable, but it must not be discharged into drains without permission from the authorities.

Bioaccumulative potential

The product does not contain any substances expected to be bio-accumulating.

BELLACIDE 355**Partition coefficient**

Not available.

Mobility:

The product is miscible with water. May spread in water systems.

Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

Other adverse effects

Not available.

13. DISPOSAL CONSIDERATIONS**Waste Management**

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

Triple rinse drums prior to recycling or disposal.

Disposal Methods

Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

Liquid material should be incinerated. Material absorbed onto sand or earth should be disposed of as solid waste in accordance with local regulations. Empty packaging may contain product residues and due consideration should be given prior to disposal.

14. TRANSPORT INFORMATION

UN No. (DOT/TDG)	2922
UN No. (IMDG)	2922
UN No. (ICAO)	2922
DOT Proper Shipping Name	CORROSIVE LIQUID, TOXIC, N.O.S. (contains tributyltetradecylphosphonium chloride), Marine Pollutant
TDG Proper Shipping Name	CORROSIVE LIQUID, TOXIC, N.O.S. (contains tributyltetradecylphosphonium chloride), Marine Pollutant
DOT Hazard Class	8 (6.1)
DOT Hazard Label	Corrosive Poison
TDG Class	8 (6.1)
IMDG Class	8 (6.1)
ICAO Class	8
ICAO Subsidiary Risk	6.1
Transport Labels	



DOT Pack Group	II
IMDG Pack Group	III
Air Pack Group	III

Environmentally Hazardous Substance/Marine Pollutant

EMS

F-A, S-B

BELLACIDE 355

Classification Code (Adr) CT1

15. REGULATORY INFORMATION**Regulatory Status (US)**

PROPOSITION 65: This product does not contain chemicals considered by the State of California's Safe Drinking Water and Toxic Enforcement Act of 1986 as causing cancer or reproductive toxicity and for which warnings are now required.
SECTION 313: This product does not contain toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR Part 372. EPA REGISTRATION NUMBER 279-3139

Regulatory References

29 CFR 1910.1010 Federal Regulations (OSHA Standard).

US Federal Regulations**SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities**

None of the ingredients are listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed.

SARA 313 Emission Reporting

None of the ingredients are listed.

CAA Accidental Release Prevention

None of the ingredients are listed.

FDA – Essential Chemical

None of the ingredients are listed.

FDA – Precursor Chemical

None of the ingredients are listed.

OSHA Highly Hazardous Chemicals

None of the ingredients are listed.

US State Regulations**California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-I)

None of the ingredients are listed.

California Air Toxics "Hot Spots" (A-II)

None of the ingredients are listed.

Massachusetts "Right To Know" List

None of the ingredients are listed.

Rhode Island "Right To Know" List

None of the ingredients are listed.

Minnesota "Right To Know" List

None of the ingredients are listed.

New Jersey "Right To Know" List

None of the ingredients are listed.

Pennsylvania "Right To Know" List

None of the ingredients are listed.

Fifra Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER.

CORROSIVE

Causes irreversible eye damage and skin burns.

Harmful if swallowed or absorbed through the skin.

May be irritating to nose and throat.

International Inventories

BELLACIDE 355**EU - EINECS/ELINCS**

All ingredients are listed or exempt.

Canada – DSL/NDSL

All ingredients are listed or exempt.

US - TSCA

All ingredients are listed or exempt.

US – TSCA 12(b) Export Notification

None of the ingredients are listed.

Australia - AICS

All ingredients are listed or exempt.

Japan – MITI

The following ingredients are listed.

WATER

Korea - KECI

All ingredients are listed or exempt.

China - IECSC

All ingredients are listed or exempt.

Phillippines – PICCS


All ingredients are listed or exempt.

New Zealand - NZIOC

All ingredients are listed or exempt.

16. OTHER INFORMATION**HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS)**

HEALTH	3
FLAMMABILITY	0
PHYSICAL	0
PERSONAL PROTECTION	D

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)**General Information**

For advice on chemical emergencies, spillages, fires or first aid in relation to this product please contact the relevant emergency number below :

EU/English Speakers - +44 (0) 1235 239 670 (NCEC)

Arabic Speakers - +44 (0) 1235 239 671

Asia/Pacific countries - +65 3158 1074

For emergencies within China - +86 10 5100 3039

Revision Comments

Conversion to GHS (HCS 2012 / WHMIS 2015)

Issued By BWA Water Additives Regulatory Group, +44(0)1618646699**Revision Date** 3rd March, 2015**Revision** 7**Sds No.** 10795

BELLACIDE 355

Disclaimer

For safety reasons it is IMPERATIVE that customers:-

1. Ensure that all those within their control who use the products are supplied with all relevant information contained within the Safety Data Sheet and Technical Bulletin concerning the applications for which the product is designed and any instructions and warnings contained therein.
2. Consult BWA Water Additives before using or supplying the product for any other applications. The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.